


RUSSIAN ACADEMY OF SCIENCES
KOLA SCIENCE CENTRE



PGI
GEOPHYSICAL DATA

15 Years Data in Collection

2010

OCTOBER

NOVEMBER

DECEMBER

POLAR GEOHPYSICAL INSTITUTE
MURMANSK, APATITY, RUSSIA

PGI

GEOPHYSICAL DATA

V. VOROBJEV, editor

V. Burnaeva, N. Golubtsova and L. Kogay make-up editors

This bulletin presents the preliminary ground-based optical, geomagnetic and cosmic ray data obtained by Polar Geophysical Institute in the fourth quarter of 2010. All-sky camera observations are published only for the quarters when observations were carried out. All data are available by request.

CONTENTS:

Data description	2
Geomagnetic K-indices	6
Cosmic ray data	9
All-sky camera observations	
Magnetogram plots	

DATA DESCRIPTION

Magnetic data

The magnetograms (H, D, and Z) are plotted as magnetic variations recorded in Loparskaya and Lovozero stations by the three component Bobrov type magnetometer with a sampling frequency of 10 samples per seconds. The instrument has a range ± 2620 nT and a resolution of 5 pT. Magnetic observations are gathered every second and registered in the digital form as the 10-sec averaged data. Digits in the plots at the left hand side denote the scale of the records in nT/div. Timing is provided by the GPS.

Magnetic quiet values for H, D and Z components are shown by dotted line as a daily averaged magnetic activity level for three magnetically quiet days of each month. Quiet days are brand by the symbol Q in tables of geomagnetic K-indices.

Geomagnetic K-indices

The hourly K-indices indicate the level of geomagnetic field disturbance. The maximum deflection of two components H and D from the magnetic quiet value during one hour interval have been recalculated to the value of the local hourly K-index. The following scale has been used:

K-indices	Deflection in nT
0	0-15
1	15-30
2	30-60
3	60-120
4	120-210
5	210-360
6	360-600
7	600-990
8	990-1500
9	1500 and more

Cosmic ray data

The 18-NM-64-neutron monitor has been operating in Apatity since 1969. A plot of pressure corrected hourly data (count accumulated during one hour interval) is presented in units of percent with respect to the monthly mean intensity. Mean values are:

October	471 761
November	470 035
December	468 892

The hourly data are sent to WDC-B2 (Moscow) and WDC-C (Japan).

Please visit also our Internet pages:

<http://pgia.ru>

TV observations


TV calendar

Calendar shows the intervals of digital all-sky camera observations in Lovozero and Loparskaya, which are available during dark periods from 1400 to 0600 UT.

TV ascaplots

All-sky camera observations are presented in this bulletin in the form of the standard five lines ascaplot. A detailed description of askaplots interpretation was published in: Annals of International Geophysical Year. V. XX. Part 1. P. 1-5. 1962.

Example of an ascaplot and the legend are given below. Top three lines give information on the existence of aurorae in north, zenith and south ranges of the sky, respectively. The fourth and fifth lines in the standard five lines ascaplot give the zenith range auroral intensity. We do not use all-sky camera observations to form a correct estimate of the auroral intensity.



- 1- no aurora
- 2- aurora present in north range
- 3- weak aurora present in zenith range
- 4- aurora present in south range
- 5- aurorae present in north, zenith and south ranges
- 6- medium aurora in zenith, aurorae present in north and south ranges
- 7- strong aurora in zenith, aurorae present in north and south ranges
- 8- partial cloudiness
- 9- total cloudiness
- 10- no operation

Keograms

Black white keograms show the auroral display along the geomagnetic meridian of station. Here we present a few selected auroral events observed at Lovozero and/or Loparskaya in night-time interval from 17 00 UT to 01 00 UT. Zenith angles are given along the vertical axis. Magnetic north is at the top of the figure.

Attention:

Magnetometer in Tumanny is not in operation from February 10, 2010

Coordinates of stations

Stations	Code	Geographic		Corr. Geomagnetic	
		Lat	Long	Lat	Long
<i>Loparskaya</i>	LOP	68.63° N	33.25° E	64.94° N	113.6° E
<i>Lovozero</i>	LOZ	67.97° N	35.02° E	64.17° N	115.3° E
<i>Apatity</i>	APT	67.58° N	33.31° E	63.86° N	113.6° E

Please visit also our Internet pages:

<http://pgia.ru>

Contact information:

	Phon	<i>e-mail</i>
Vyacheslav Vorobjev, Editor	+7-815-55-79-592	<i>vorobjev@pgia.ru</i>
Sergei Chernyakov, head of LOP	+7-815-53-48-339	<i>sergeich@pgi.ru</i>
Valentin Kosolapenko, head of LOZ	+7-815-238-31-382	<i>valkos@pgia.ru</i>

Polar Geophysical Institute
Academgorodok, 26a, APATITY
184209, RUSSIA

GEOMAGNETIC K-INDICES, LOVOZERO

October, 2010

Lower limit of K=9 is 1500 nT

Day	Time, UT								
	03	06	09	12	15	18	21	24	
1	0 0 0	0 0 0	0 0 0	1 1 1	1 1 0	0 0 0	0 0 0	0 0 0	Q
2	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	0 0 0	
3	0 0 0	0 0 0	0 0 0	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	
4	0 0 0	0 0 0	- - -	- 1 1	1 1 0	0 0 0	0 0 0	0 1 1	
5	0 1 1	0 1 1	1 1 1	1 2 1	1 1 1	1 2 1	1 0 0	0 0 0	
6	0 0 0	0 0 0	0 0 1	1 1 1	2 3 3	1 2 3	1 2 2	1 0 0	
7	0 0 0	0 0 0	0 0 1	1 1 1	1 2 1	0 0 0	0 0 0	0 1 2	
8	3 3 2	1 1 0	1 1 1	1 1 1	0 0 0	0 0 1	0 0 0	0 0 0	
9	1 1 1	0 0 0	1 0 0	1 2 1	1 0 0	1 0 0	1 1 1	0 0 0	
10	0 0 0	0 0 0	0 0 1	1 1 1	1 1 0	0 1 1	0 0 1	3 3 1	Q
11	0 0 0	1 1 1	2 0 1	2 2 3	5 6 5	5 6 5	4 4 4	3 3 3	
12	2 4 4	3 2 2	2 1 1	1 1 1	2 1 2	4 3 2	3 2 2	3 4 4	
13	3 1 1	1 1 1	1 1 2	1 1 1	1 1 0	0 0 2	0 0 0	0 0 0	
14	0 0 0	0 0 1	0 0 0	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	
15	0 0 0	0 0 1	1 0 0	1 1 2	1 1 1	0 0 1	0 3 3	3 1 2	
16	3 2 1	0 0 0	1 0 0	1 1 1	0 1 0	2 1 1	0 3 4	5 3 3	
17	2 2 0	0 2 2	2 1 1	1 2 1	1 0 0	0 0 1	2 3 4	3 1 3	
18	4 3 3	0 0 0	1 0 0	1 1 1	0 0 0	0 0 0	1 3 3	3 2 0	
19	2 2 2	2 1 0	1 1 1	1 1 1	1 1 1	0 0 0	0 0 0	2 3 3	
20	3 3 1	1 0 1	- - -	- - 2	2 1 1	0 0 0	0 0 2	1 1 1	Q
21	2 1 1	1 0 0	0 0 1	0 0 0	0 0 0	0 0 2	1 0 0	0 0 0	
22	0 0 0	0 0 0	1 0 1	1 1 1	1 1 0	0 1 0	0 0 0	3 5 4	
23	3 3 3	3 2 2	1 2 2	1 3 2	5 5 2	3 4 3	2 4 5	6 6 6	
24	4 4 3	3 2 2	2 1 1	2 2 2	2 3 1	2 2 3	4 2 2	3 2 2	
25	2 1 1	1 1 1	1 1 1	1 1 1	2 1 0	0 0 0	1 3 2	1 1 1	
26	2 3 1	2 1 1	0 0 2	1 1 1	1 0 0	0 2 3	3 3 4	4 1 0	
27	0 0 0	0 0 0	0 0 1	1 1 0	1 0 0	0 0 0	0 3 5	2 0 0	
28	0 0 0	0 0 0	0 1 1	1 1 1	1 0 0	0 1 1	0 2 0	0 0 0	
29	0 0 1	0 0 0	1 0 0	1 1 0	0 0 0	0 0 0	0 0 0	1 0 0	Q
30	0 0 0	0 0 0	0 0 1	1 1 1	1 0 0	1 1 0	0 0 0	0 0 0	
31	0 0 0	0 0 0	0 0 0	1 0 1	1 1 0	0 0 0	0 0 0	0 0 0	




GEOMAGNETIC K-INDICES, LOVOZERO
November, 2010
Lower limit of K=9 is 1500 nT

Day	Time, UT								
	03	06	09	12	15	18	21	24	
1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	Q
2	0 0 0	0 0 0	0 0 1	1 1 0	0 0 0	0 0 0	0 0 0	0 0 0	
3	1 1 0	1 0 0	0 0 1	1 1 1	1 1 1	0 0 0	2 3 3	2 2 1	
4	1 2 2	0 0 0	0 0 0	0 0 1	1 0 0	0 1 0	0 0 0	0 0 0	
5	0 0 0	0 0 0	0 0 0	0 1 1	1 0 0	0 0 2	0 0 0	0 0 0	Q
6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 0	
7	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 2 1	0 0 0	
8	0 9 0	0 0 0	0 0 0	0 1 1	1 1 1	0 1 1	1 2 1	1 0 0	
9	0 0 0	0 0 0	0 0 0	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	
10	0 0 0	0 0 0	0 1 1	1 1 1	1 1 0	0 0 2	2 1 3	3 2 3	
11	2 2 2	0 0 0	0 1 1	1 2 2	4 4 5	5 5 3	5 5 2	6 6 6	
12	4 3 4	4 2 1	2 2 2	1 2 2	3 3 1	3 1 1	3 2 2	2 5 5	
13	3 2 0	0 1 1	0 1 1	1 0 0	0 1 0	0 0 0	1 3 3	3 1 0	
14	0 0 1	1 1 0	0 0 0	0 0 0	0 0 1	2 3 3	3 1 3	4 3 3	
15	1 1 1	1 2 1	0 0 1	2 1 0	0 1 0	1 0 0	0 0 0	2 4 3	
16	3 3 3	2 1 1	0 0 0	1 1 1	1 0 2	2 0 0	0 0 0	0 0 0	
17	0 0 0	2 1 1	2 1 1	1 1 1	0 0 0	0 0 0	0 2 0	0 0 1	
18	1 0 0	0 0 0	0 0 1	1 0 0	1 1 1	0 0 0	7 2 2	1 2 2	
19	1 0 0	1 1 1	1 1 1	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
20	0 0 0	0 1 0	0 0 1	0 1 0	0 0 0	0 0 0	0 0 0	0 0 0	
21	1 1 1	1 0 0	0 0 0	1 1 1	1 0 0	0 0 0	3 3 2	0 0 1	Q
22	1 1 0	1 1 0	0 0 0	0 0 1	1 0 1	0 0 2	2 2 2	2 2 2	
23	1 1 1	0 0 0	1 0 1	1 0 0	0 0 0	4 4 0	0 4 5	3 1 0	
24	1 1 0	0 0 0	1 0 0	0 1 0	0 0 0	0 0 2	3 2 2	2 2 1	
25	1 1 1	0 0 0	0 0 1	1 1 1	1 1 7	0 0 0	0 1 0	0 0 0	
26	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	1 0 0	1 1 0	0 0 0	
27	0 0 0	0 0 0	0 0 1	1 1 1	1 1 1	1 1 1	2 3 6	4 0 0	
28	2 2 1	1 1 0	1 1 1	0 0 0	0 0 0	0 0 0	0 2 3	3 3 2	
29	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	2 2 1	0 0 0	
30	1 1 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 0	0 0 1	0 0 1	

GEOMAGNETIC K-INDICES, LOVOZERO
December, 2010
Lower limit of K=9 is 1500 nT

Day	Time, UT								
	03	06	09	12	15	18	21	24	
1	2 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 2 3	0 0 0	Q
2	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	1 0 0	
3	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0	
4	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 2 0	0 0 0	
5	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 2 2	Q
6	0 0 0	0 1 1	0 0 1	1 1 1	1 1 0	1 1 0	1 0 0	0 0 0	
7	0 0 0	0 0 0	0 0 1	0 1 1	1 1 2	1 2 3	2 2 3	2 2 1	
8	1 1 1	0 1 0	0 0 0	0 0 0	0 0 1	2 4 3	1 4 4	0 0 0	
9	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	Q
10	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
11	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	
12	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	1 3 4	2 1 1	3 2 1	
13	2 3 1	2 1 1	1 0 1	0 0 0	0 0 0	0 1 2	0 2 3	3 2 3	Q
14	3 1 0	0 0 1	1 1 1	1 1 2	1 3 3	3 4 4	5 4 4	6 5 5	
15	4 2 2	2 2 1	1 1 1	0 0 0	0 0 3	2 3 2	0 1 2	1 1 1	
16	0 1 1	1 0 0	0 0 1	0 1 0	0 0 0	2 1 0	0 2 1	1 0 0	
17	0 1 1	0 0 0	0 0 0	0 1 0	0 0 0	0 1 2	2 0 0	0 0 0	Q
18	0 0 0	1 1 0	0 0 0	1 1 1	1 0 0	0 0 0	0 1 0	0 0 1	
19	1 1 0	0 0 0	0 0 0	1 1 1	1 0 0	0 0 0	0 0 0	1 1 2	
20	0 0 0	0 2 2	2 2 2	1 1 2	2 2 2	1 0 0	0 0 2	4 5 3	
21	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 0	Q
22	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
23	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
24	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 1	0 1 0	0 0 0	
25	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 1	3 2 1	1 1 1	Q
26	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	1 0 1	
27	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	1 0 0	1 1 1	
28	0 0 0	0 0 0	0 0 0	0 0 0	1 4 5	6 5 4	2 2 2	3 2 1	
29	2 2 2	0 1 0	0 0 1	1 1 0	0 0 0	0 0 1	2 3 0	0 0 0	Q
30	0 0 0	0 0 0	0 0 0	0 0 0	0 1 2	3 2 3	3 1 1	1 0 0	
31	0 1 1	0 0 0	0 0 0	0 0 1	1 0 1	1 1 1	1 1 1	0 0 0	

Apatity neutron monitor



TV OBSERVATIONS

October - December 2010

CALENDAR OF TV OBSERVATIONS

December 14 - 15

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 15 - 16

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—		—													

December 16 - 17

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 17 - 18

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 18 - 19

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 19 - 20

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 20 - 21

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 21 - 22

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 22 - 23

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 23 - 24


UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ	—															

December 24 - 25

UT	14	15	16	17	18	19	20	21	22	23	24	01	02	03	04	05
LOZ											—					

Lovozero ascaplots

Oct. 05, 2010



Oct. 06, 2010




Oct. 07, 2010



Oct. 08, 2010




Oct. 09, 2010




Oct. 10, 2010



Oct. 11, 2010




Oct. 12, 2010



Oct. 13, 2010



Oct. 14, 2010




00 06 12 18 24

Universal Time

Lovozero ascaplots

Oct. 15, 2010




Oct. 16, 2010



Oct. 17, 2010




Oct. 18, 2010




Oct. 19, 2010




Oct. 20, 2010




Oct. 21, 2010




Oct. 22, 2010



Oct. 23, 2010



Oct. 24, 2010




00 06 12 18 24

Universal Time

Lovozero ascaplots

Oct. 25, 2010




Oct. 26, 2010




Oct. 27, 2010




Oct. 28, 2010




Oct. 30, 2010




Oct. 31, 2010




Nov. 01, 2010



Nov. 02, 2010



Nov. 03, 2010



Nov. 04, 2010




00 06 12 18 24

Universal Time

Lovozero ascaplots

Nov. 5, 2010




Nov. 06, 2010




Nov. 07, 2010



Nov. 08, 2010




Nov. 09, 2010




Nov. 10, 2010




Nov. 11, 2010




Nov. 12, 2010



Nov. 13, 2010



Nov. 14, 2010



00 06 12 18 24

Universal Time

Lovozero ascaplots


Nov. 15, 2010




Nov. 16, 2010




Nov. 17, 2010




Nov. 18, 2010




Nov. 19, 2010




Nov. 20, 2010




Nov. 21, 2007




Nov. 22, 2010



Nov. 23, 2010



Nov. 24, 2010



00 06 12 18 24

Universal Time

Lovozero ascaplots


Nov. 25, 2010




Nov. 28, 2010



Nov. 29, 2010



Nov. 30, 2010




Dec. 01, 2010




Dec. 02, 2010



Dec. 03, 2010




Dec. 04, 2010



Dec. 05, 2010



Dec. 06, 2010




00 06 12 18 24


Universal Time

Lovozero ascaplots


Dec. 07, 2010




Dec. 08, 2010




Dec. 09, 2010



Dec. 10, 2010




Dec. 11, 2010




Dec. 12, 2010




Dec. 13, 2010



Dec. 14, 2010



Dec. 15, 2010



Dec. 16, 2010




00 06 12 18 24


Universal Time

Lovozero ascaplots

Dec. 17, 2010




Dec. 18, 2010



Dec. 19, 2010



Dec. 20, 2010




Dec. 21, 2010




Dec. 22, 2010




Dec. 23, 2010




Dec. 24, 2010



Dec. 25, 2010



Dec. 26, 2010




00 06 12 18 24


Universal Time

Lovozero ascaplots


Dec. 27, 2010




Dec. 28, 2010




Dec. 29, 2010



Dec. 30, 2010




Dec. 31, 2010




00 06 12 18 24

Universal Time

Lovozero TV keograms




Lovozero TV keograms




LOVOZERO MAGNETOGRAMS

October - December 2010


Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer




Lovozero magnetometer



Lovozero magnetometer




Lovozero magnetometer




LOPARSKAYA MAGNETOGRAMS

October - December 2011


Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer




Loparskaya magnetometer



Loparskaya magnetometer



Loparskaya magnetometer



Loparskaya magnetometer

